



PRION

Technical data sheet

SQUASH COURT PAINT.

Brief Description.

A hard wearing surface coating intended for use on squash court walls. The coating has anti-glare properties making it ideal for this application. It has excellent adhesion and opacity.

Formulation.

An oil based paint, based on a long oil alkyd resin. The flash point being above 32° C. Thinning, when required, should be with white spirit.

Surface Preparation.

Gloss surfaces should be well abraded to give a good key. Wall surfaces should be carefully sanded to remove any ball marks as if left, these will affect final adhesion. Loose or flaking materials must be removed.

On a new or previously untreated surfaces, a primer coat or a thinned coat of oil based squash court undercoat (with 10-15% white spirit) should first be applied to act as a sealer coat. This sealer coat should be allowed to dry thoroughly.

Coverage rate.

Coverage is dependent upon surface condition. Typically, 5 litres will cover between 50 and 75 square metres.

A minimum of two coats should be applied after initial preparation.

Methods of Application.

By brush, roller or Airless spray.

Brush. Apply without thinning.

Roller. A shortpile roller would normally be recommended (Mohair or similar). Thinning would not normally be necessary.



IRISH PAINTS LIMITED

66 Heather Road
Sandyford Ind. Estate, Dublin 18.
Tel: (01) 2952494. Fax: (01) 2952608
E-mail: info@paint.ie Website: www.paint.ie

TOTAL P.05



GENERIC PRION

Airless Spray.

Equipment and application conditions dependent.
Thinning is not recommended.

Spray tip Diameter	0.28mm - 0.32mm (~12 thou)
Spray tip angle	50° - 70°
Min working pressure	~2000 psi

Dry Time

The product would normally be touch dry in 2 - 2.5 hours. Hard dry in 4-5 hours. The product will be recoatable overnight.

Cleaning of Equipment

Wash brushes, rollers and spray equipment in a proprietary brush cleaner or White Spirit immediately after use.

Colour availability

Available in white only.

Product Service Life

2 years under normal conditions of use.

Safety Precautions

Ensure adequate ventilation of area being treated.
Refer to appropriate Health and Safety Data sheet for Squash Court Paint for full details.



IRISH PAINTS LIMITED

66 Heather Road.
Sandyford Ind. Estate, Dublin 18.
Tel: (01) 2952494. Fax: (01) 2952608
E-mail: info@paint.ie Website: www.paint.ie